



Oil Furnaces

ROPF Classic Premium Class Downflow / Horizontal Oil Furnaces

Model #	Heating Capacity BTU/h (Kw)	Firing Rate GPH	Dimensions (wx dxh) Inches	Cooling CFM	Blower Diameter (Motor HP)
	87,500 (25.64)	0.75			
	97,800 (28.66)	0.85			
ROPF-112QBGA	113,200 (33.18)	1.00	24 1/2x28 3/4x46	1,436	10X10 (1/2)
ROPF-130RBJA	134,400 (39.39)	1.20	28x28 3/4x49	1,642	11X10 (3/4)

Direct drive blower assemblies for heating and air conditioning applications. Crimped design stainless steel heat exchanger for efficient heat transfer. Low profile design is lighter, easier to handle, and replaces old styles. Removable flue box to easily clean secondary heat exchanger. Blower/Motor combinations, cooling coil plenums, return air cabinets, and other air conditioning accessories are available for air conditioning application. Factory tested prior to shipment. All furnaces are completely factory assembled with burner mounted ready for downflow operation. Adjustable solid state fan cycle control. Solid state microprocessor control. Indicator light to monitor the burner flame status for improved troubleshooting. Clean cut solenoid controlled oil pump with pre and post purge to prevent oil dripping before and after burn to reduce odors. Easily field convertible from downflow to horizontal right or horizontal left hand air discharge.

Accessories	Description
RXBC-A	Coil Plenum
RXGC-B24, B28	Combustible Floor Base
RXPF-F01, 02	Fossil Fuel Kits
RXOP-D25	Twinning Kit
RXGF-CC	Filter Rack
SS1-R	Sidewall Vent System

Warranty Information
Oil Heat Exchanger - Limited Lifetime
Any Other Part - Five (5) Years

